

4

3

2

1




MATERIAL & FINISH:

- 1 BODY: BRASS, SEE TABLE
- 2 CENTER CONTACT: BRASS, GOLD PLATED
- 3 OUTER CONTACT: BERYLLIUM COPPER ALLOY, SEE TABLE
- 4 CRIMP FERRULE: COPPER, NICKEL PLATED
- 5 INSULATOR: PTFE

ENVIRONMENTAL DATA:

- 1 TEMPERATURE RANGE: -40°C~+125°C
- 2 2011/65/EU (RoHS): COMPLIANT


REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	04/17/17	J. QU
B	DRAWING FORMAT CHANGED	08/29/17	J. QU
C	ADDED TABLE	12/28/17	J. QU




CABLE STRIPPING DIMENSIONS

PART NO.	PART	FINISH
ANO 1311-2014	BODY/OUTER CONTACT	GOLD PLATED
ANO 1311-2014-1		NICKEL PLATED

HEX. CRIMP TOOL



CRIMP WIDTH: 7.5 [.295]



DRAWN	P. CHEN	DATE	12/28/17
CHECKED	L. YANG	DATE	12/28/17
APPROVED	J. QU	DATE	12/28/17
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS, DIMENSIONS IN [] ARE IN INCHES FOR CUSTOMER REFERENCE ONLY UNLESS OTHERWISE SPECIFIED TOLERANCE ARE:		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF ANOISON ELECTRONICS LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION COPYRIGHT © 2017 ANOISON ELECTRONICS LTD	
.XX	±0.13 [.005"]		
.X	±0.20 [.008"]		
X	±0.50 [.019"]		
.X°	±1°		
X°	±2°		



TITLE			
MCX STRAIGHT MALE CRIMP FOR RG316 DS CABLE			
VIEW		PART NO.	
		ANO 1311-2014	
SIZE	SCALE	SHEET	REV.
A3	8:1	1/1	C

4

3

2

1