

4

3

2

1

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	11/18/15	J. QU
B	CHANGED DRAWINGS	11/23/23	J. QU

MATERIAL & FINISH:




- 1 BODY: BRASS, NICKEL PLATED
- 2 CENTER CONTACT: BRASS, GOLD PLATED
- 3 INSULATOR: PTFE
- 4 COUPLING NUT: BRASS, NICKEL PLATED
- 5 GASKET: MVQ (SILICONE RUBBER)

ELECTRICAL DATA:

- 1 IMPEDANCE: 50 Ω
- 2 FREQUENCY RANGE: DC~4 GHZ
- 3 VSWR: ≤1.20 AT DC~1 GHZ


ENVIRONMENTAL DATA:

- 1 TEMPERATURE RANGE: -55 °C ~ +125 °C
- 2 2011/65/EU (RoHS): COMPLIANT



CABLE STRIPPING DIMENSIONS

HEX. CRIMP TOOL



CRIMP WIDTH: 10.0 [.394]

DRAWN	P. CHEN	DATE	11/23/23
CHECKED	L. YANG	DATE	11/23/23
APPROVED	J. QU	DATE	11/23/23
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS, DIMENSIONS IN [] ARE IN INCHES FOR CUSTOMER REFERENCE ONLY UNLESS OTHERWISE SPECIFIED TOLERANCE ARE:		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF ANOISON ELECTRONICS LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION COPYRIGHT © 2023 ANOISON ELECTRONICS LTD	
.XX	±0.13 [.005"]		
.X	±0.20 [.008"]		
X*	±0.50 [.019"]		
X°	±1°		
X°	±2°		



TITLE			
BNC MALE STRAIGHT CRIMP FOR RG58 CABLE			
VIEW	PART NO.		
	ANO 3111-2002		
SIZE	SCALE	SHEET	REV.
A3	2:1	1/1	B

4

3

2

1