

4 3 2 1

REVISIONS

REV.	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	11/09/13	J. QU
B	DRAWING FORMAT CHANGED	07/28/17	J. QU
C	Ø6.40 WAS Ø6.25, 5.50 HEX. WAS 5.40 HEX.	12/17/20	J. QU

MATERIAL & FINISH:



- 1 BODY: BRASS, SEE TABEL
- 2 CENTER CONTACT: BRASS, SEE TABEL
- 3 COUPLING NUT: BRASS, SEE TABEL
- 4 RETAINING RING: PHOSPHOR BRONZE, UNPLATED
- 5 CRIMP FERRULE: COPPER, NICKEL PLATED
- 6 INSULATOR: PTFE
- 7 GASKET: SILICONE RUBBER

ELECTRICAL DATA:

- 1 IMPEDANCE: 50 Ω
- 2 FREQUENCY RANGE: DC~6 GHZ
- 3 VSWR: 1.20 MAX. AT DC~3 GHZ
1.30 MAX. AT 3~6 GHZ

ENVIRONMENTAL DATA:

- 1 TEMPERATURE RANGE: -55 °C~+125 °C
- 2 2011/65/EU (RoHS): COMPLIANT



TABEL

PART NO.	PART	FINISH
ANO 5III-2002	BODY/COUPLING NUT	NICKEL
	CENTER CONTACT	GOLD
ANO 5III-2002-1	BODY/COUPLING NUT	SILVER
	CENTER CONTACT	ALBALOY

DRAWN	P. CHEN	DATE	12/17/20
CHECKED	X. B. YANG	DATE	12/17/20
APPROVED	J. QU	DATE	12/17/20
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS, DIMENSIONS IN [] ARE IN INCHES FOR CUSTOMER REFERENCE ONLY UNLESS OTHERWISE SPECIFIED TOLERANCE ARE:		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF ANOISON ELECTRONICS LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION COPYRIGHT © 2020 ANOISON ELECTRONICS LTD	
.XX	±0.13 [.005"]		
.X	±0.20 [.008"]		
X	±0.50 [.019"]		
X*	±1°		
X*	±2°		

ANOISON

TITLE
N STRAIGHT MALE CRIMP FOR LMR200 CABLE

VIEW

PART NO.
ANO 5III-2002

SIZE A3	SCALE 2.5:1	SHEET 1/1	REV. C
------------	----------------	--------------	-----------

4 3 2 1