

4

3

2

1

**MATERIAL & FINISH:**

- 1 BODY: BRASS, NICKEL PLATED
- 2 CENTER CONTACT: BRASS, GOLD PLATED
- 3 INSULATOR: PTFE
- 4 COUPLING NUT: BRASS, NICKEL PLATED
- 5 RETAINING RING: PHOSPHOR BRONZE, UNPLATED
- 6 CRIMP FERRULE: COPPER, NICKEL PLATED
- 7 GASKET: SILICONE RUBBER

**ELECTRICAL DATA:**





- 1 IMPEDANCE: 50 Ω
- 2 FREQUENCY RANGE: DC~6 GHz

**ENVIRONMENTAL DATA:**

- 1 TEMPERATURE RANGE: -55°C~+125°C
- 2 2011/65/EU(RoHS) AND 2015/863/(RoHS): COMPLIANT
- 3 1907/2006/EC(REACH): COMPLIANT


## REVISIONS

REV.	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	02/13/23	J. Q



CABLE STRIPPING DIMENSIONS

## HEX. CRIMP TOOL



CRIMP WIDTH: 10 [0.394]

DRAWN	L. Y	DATE	02/13/23
CHECKED	W. Y	DATE	02/13/23
APPROVED	J. Q	DATE	02/13/23

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLINETERS, DIMENSIONS IN [ ] ARE IN INCHES FOR CUSTOMER REFERENCE ONLY UNLESS OTHERWISE SPECIFIED TOLERANCE ARE:

.XX	±0.13 [0.005"]
.X	±0.20 [0.008"]
X	±0.50 [0.019"]
X°	±1°
X°	±2°

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF ANOISON ELECTRONICS LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION COPYRIGHT © 2023 ANOISON ELECTRONICS LTD

TITLE  
N STRAIGHT MALE CRIMP FOR RG142/RG223 CABLE

VIEW



PART NO.

ANO 5111-2375

SIZE  
A3SCALE  
2.5:1SHEET  
1/1REV.  
A

4

3

2

1