

4

3

2

1

MATERIAL & FINISH:

- 1 BODY: BRASS, NICKEL PLATED
- 2 CENTER CONTACT: PHOSPHOR BRONZE, GOLD PLATED
- 3 INSULATOR: PTFE
- 4 COUPLING NUT: BRASS, NICKEL PLATED

ELECTRICAL DATA:

- 1 IMPEDANCE: 50 Ω
- 2 FREQUENCY RANGE: DC~3 GHz

ENVIRONMENTAL DATA:

- 1 TEMPERATURE RANGE: -55°C~+125°C
- 2 2011/65/EU (RoHS): COMPLIANT

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	03/06/10	J. QU
B	STRUCTURE CHANGED	09/17/10	J. QU
C	STRUCTURE CHANGED	09/15/10	J. QU

REF. 30.80
[1.213]

5/8-24UNEF-2A THREAD

SW 12
[.472 AF.]

SW 10.8
[.425 HEX.]

$\phi 1$
[.039 D/A.]

$\phi 13.5$
[.531 D/A.]

DRAWN	Z. SHEN	DATE	09/17/10
CHECKED	L. YANG	DATE	09/17/10
APPROVED	J. QU	DATE	09/17/10
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS, DIMENSIONS IN [] ARE IN INCHES FOR CUSTOMER REFERENCE ONLY UNLESS OTHERWISE SPECIFIED TOLERANCE ARE:		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF ANOISON ELECTRONICS LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION COPYRIGHT © 2010 ANOISON ELECTRONICS LTD	
.XX	+0.13 [.005"		
.X	+0.20 [.008"		
X	+0.50 [.019"		
.X°	±1°		
X°	±2°		

ANOISON
...we create connection for technologies

TITLE ADAPTER, N FEMALE TO F MALE			
VIEW 	PART NO. ANO 512-971-I088		
SIZE A3	SCALE 2.5:1	SHEET 1/1	REV. C