

MATERIAL & FINISH:

1. BODY: BRASS, ALBALOY PLATED
2. CENTER CONTACT: BERYLLIUM COPPER ALLOY, SILVER PLATED
3. UNLOCK SLEEVE: BRASS, ALBALOY PLATED
3. INSULATOR: PEI


ENVIRONMENTAL DATA:

1. TEMPERATURE RANGE: -55°C~+125°C
2. 2011/65/EU (RoHS): COMPLIANT

ELECTRICAL SPECIFICATIONS:

1. IMPEDANCE: 50 Ω
2. FREQUENCY RANGE: DC~18 GHZ
3. VSWR: 1.20 MAX. AT DC~6 GHZ

| REVISIONS | | | |
|-----------|-----------------|----------|----------|
| REV. | DESCRIPTION | DATE | APPROVED |
| A | INITIAL RELEASE | 11/23/13 | J. QU |
| | | | |



| | | | | | | | | | | | | | | | | |
|---|---|------------|------------------------------|------------|--------------|--------------|-----------|----------|----------|-------|------|----------|--|--|--|--|
| <table border="1"> <tr> <td>DRAWN</td> <td>X. B. YANG</td> <td>DATE</td> <td>11/23/13</td> </tr> <tr> <td>CHECKED</td> <td>H. ZHANG</td> <td>DATE</td> <td>11/23/13</td> </tr> <tr> <td>APPROVED</td> <td>J. QU</td> <td>DATE</td> <td>11/23/13</td> </tr> </table> | DRAWN | X. B. YANG | DATE | 11/23/13 | CHECKED | H. ZHANG | DATE | 11/23/13 | APPROVED | J. QU | DATE | 11/23/13 | | TITLE ADAPTER, HPQN MALE TO HPQN MALE | | |
| DRAWN | X. B. YANG | DATE | 11/23/13 | | | | | | | | | | | | | |
| CHECKED | H. ZHANG | DATE | 11/23/13 | | | | | | | | | | | | | |
| APPROVED | J. QU | DATE | 11/23/13 | | | | | | | | | | | | | |
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS, DIMENSIONS IN [] ARE IN INCHES FOR CUSTOMER REFERENCE ONLY UNLESS OTHERWISE SPECIFIED TOLERANCE ARE: .XX ±0.13 [.005"] .X ±0.20 [.008"] X ±0.50 [.019"] X° ±1° X° ±2° | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF ANOISON ELECTRONICS LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION COPYRIGHT © 2013 ANOISON ELECTRONICS LTD | VIEW | PART NO. ANO 531-531-1037 | SIZE A3 | SCALE 4:1 | SHEET 1/1 | REV. A | | | | | | | | | |