

4

3

2

1

ELECTRICAL DATA:


- 1 IMPEDANCE: 75 OHMS
- 2 FREQUENCY RANGE: DC~3 GHZ
- 3 VSWR: 1.10 MAX. AT DC~1 GHZ
- 4 RESISTOR: 1/8 WATTS, 1%

ENVIRONMENTAL DATA:

- 1 OPERATING TEMPERATURE RANGE: -55°C~+125°C
- 2 STORAGE TEMPERATURE RANGE: -55°C~+125°C
- 3 2011/65/EU(RoHS) AND 2015/863/(RoHS): COMPLIANT
- 4 1999/45/EC(REACH): COMPLIANT

REVISIONS

REV.	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	04/15/14	J. QU
B	O-RING ADDED	05/26/14	J. QU
C	DRAWING FORMAT CHANGED	10/11/18	J. QU



DRAWN	X. B. YANG	DATE	10/11/18
CHECKED	W. YANG	DATE	10/11/18
APPROVED	J. QU	DATE	10/11/18
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS. DIMENSIONS IN [] ARE IN INCHES FOR CUSTOMER REFERENCE ONLY UNLESS OTHERWISE SPECIFIED TOLERANCE ARE:		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF ANOISON ELECTRONICS LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION COPYRIGHT © 2018 ANOISON ELECTRONICS LTD	
.XX	±0.13 [.005"]		
.X	±0.20 [.008"]		
X	±0.50 [.019"]		
.X°	±1°		
X°	±2°		



TITLE
75 OHMS F MALE TERMINATION, 1/8 WATT WITH A CHAIN

VIEW	PART NO. ANO 797-101		
SIZE A3	SCALE 2.5:1	SHEET 1/1	REV. C

4

3

2

1