

4

3

2

1

MATERIAL & FINISH:

- 1. BODY: STAINLESS STEEL, PASSIVATED
- 2. CENTER CONTACT: PHOSPHOR BRONZE, GOLD PLATED
- 3. INSULATOR: PTFE & PEI


ENVIRONMENTAL DATA:

- 1. TEMPERATURE RANGE: -55°C~+155°C
- 2. 2011/65/EU (RoHS): COMPLIANT

ELECTRICAL DATA:

- 1. IMPEDANCE: 50 Ω
- 2. FREQUENCY RANGE: DC~26.5GHZ
- 3. VSWR: 1.20 MAX. AT DC~18GHZ
1.35 MAX. AT 18GHZ~26.5GHZ
- 4. DIELECTRIC WITHSTANDING VOLTAGE: 500 V MAX.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	02/17/16	J. QU



P/N	TYPE
ANO 931-931-1364-1	FULL DETENT
ANO 931-931-1364-2	LIMITED DETENT

DRAWN	P. CHEN	DATE	02/17/16
CHECKED	L. YANG	DATE	02/17/16
APPROVED	J. QU	DATE	02/17/16
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS, DIMENSIONS IN [] ARE IN INCHES FOR CUSTOMER REFERENCE ONLY UNLESS OTHERWISE SPECIFIED TOLERANCE ARE:		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF ANOISON ELECTRONICS LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION COPYRIGHT © 2015 ANOISON ELECTRONICS LTD	
.XX	±0.13 [.005"]		
.X	±0.20 [.008"]		
X	±0.50 [.019"]		
.X°	±1°		
X°	±2°		



TITLE ADAPTER, SMP MALE TO SMP MALE			
VIEW	PART NO. ANO 931-931-1364		
SIZE A3	SCALE 5:1	SHEET 1/1	REV. A