

4 3 2 1

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	12/14/20	J. QU

MATERIAL & FINISH:



- 1 BODY1: STAINLESS STEEL, PASSIVATED
- 2 BODY2: KOVAR, GOLD PLATED
- 3 CENTER CONTACT: KOVAR, GOLD PLATED
- 4 INSULATOR: CORNING 7070 OR EQUIVALENT

ELECTRICAL DATA:


- 1 IMPEDANCE: 50 Ω
- 2 FREQUENCY RANGE: DC~65 GHz

ENVIRONMENTAL DATA:

- 1 TEMPERATURE RANGE: -55 °C~+125 °C
- 2 2011/65/EU(RoHS) AND 2015/863/(RoHS): COMPLIANT
- 3 1999/45/EC(REACH): COMPLIANT
- 4 HERMETICITY: 1×10^{-9} CC/SEC AT ONE ATMOSPHERE



RECOMMEND MOUNTING HOLE DETAIL



DRAWN	W. YANG	DATE	12/14/20
CHECKED	X. B. YANG	DATE	12/14/20
APPROVED	J. QU	DATE	12/14/20
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS, DIMENSIONS IN [] ARE IN INCHES FOR CUSTOMER REFERENCE ONLY UNLESS OTHERWISE SPECIFIED TOLERANCE ARE:		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF ANOISON ELECTRONICS LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION COPYRIGHT © 2020 ANOISON ELECTRONICS LTD	
.XX	±0.13 [.005"]		
.X	±0.20 [.008"]		
.X*	±0.50 [.019"]		
X*	±1°		
X*	±2°		

ANOISON

TITLE: ADAPTER, SMPM MALE(FD) TO SMPM MALE(FD), HERMETIC SEAL

VIEW:

PART NO.: ANO 941-941-1546

SIZE	SCALE	SHEET	REV.
A3	10:1	1/1	B

4 3 2 1