

MATERIAL & FINISH:

1. BODY: STAINLESS STEEL, PASSIVATED
2. COUPLING NUT: STAINLESS STEEL, PASSIVATED
3. CENTER CONTACT: BERYLLIUM COPPER ALLOY, GOLD PLATED
4. INSULATOR: PEI


ENVIRONMENTAL DATA:

1. TEMPERATURE RANGE: -55°C~+125°C
2. 2011/65/EU (RoHS): COMPLIANT

ELECTRICAL DATA:

1. IMPEDANCE: 50 Ω
2. FREQUENCY RANGE: DC~18 GHZ
3. VSWR: 1.15 MAX.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	05/06/14	J. QU
B	CHANGED P/N	06/01/15	J. QU



DRAWN X. B. YANG	DATE 06/01/15				
CHECKED L. YANG	DATE 06/01/15				
APPROVED J. QU	DATE 06/01/15				
<small>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS, DIMENSIONS IN [] ARE IN INCHES FOR CUSTOMER REFERENCE ONLY UNLESS OTHERWISE SPECIFIED TOLERANCE ARE:</small>		<small>THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF ANOISON ELECTRONICS LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION COPYRIGHT © 2015 ANOISON ELECTRONICS LTD</small>		TITLE PRECISION ADAPTER N MALE TO 3.5MM MALE	
<small>.XX ±0.13 [.005"] .X ±0.20 [.008"] X ±0.50 [.019"] .X° ±1° X° ±2°</small>		VIEW 		PART NO. PA5I25A	
		SIZE A3	SCALE 4:1	SHEET 1/1	REV. B